



INNOVATIONS FOR LIVING®

THE ROOFING COLLECTION
ARCHITECT PRODUCT GUIDE



TruDefinition® Duration®
Designer Colors Collection
Sand Dune†

A BEAUTIFUL DECISION.

Choose beauty. And performance too.

Owens Corning offers roofing shingles that do more than protect a structure from the elements. Combined with Owens Corning™ Roofing Essentials® Accessory Products, they're not only beautiful, boasting a wide selection of color blends and styles to complement the exterior design of any building, they also work together to provide a complete roofing system for maximum durability.

From muted to bold, traditional to dimensional—and beyond—roofing shingles from Owens Corning feature richly colored granules that can help you craft the look of your choice. A look that delivers customer satisfaction and curb appeal for years to come.

Our eye-catching shingles come with maximum durability built in. So you can feel confident about choosing our roofing products. After all, Owens Corning has been a recognized leader in the building materials industry for over 70 years. We're known for making homes more comfortable, beautiful and durable. And we can do the same for your next project.



	Berkshire® Collection Shingles 3-6
	Woodmoor® & Woodcrest® Collection Shingles 7-10
	SureNail® Technology 11-12
	TruDefinition® Duration® Designer Colors Collection Shingles with SureNail® Technology 13-16
	TruDefinition® Duration® Shingles with SureNail® Technology 17-22
	TruDefinition® Duration STORM™ 23-26
	Duration® Premium Cool Shingles with SureNail® Technology 27-30
	WeatherGuard® HP Shingles 31-34
	Oakridge® Shingles 35-38
	Supreme® Shingles 39-40
	Roofing Essentials® Accessory Products 41-48

Optimal Performance and Appearance

Basic Performance and Appearance



BERKSHIRE® COLLECTION SHINGLES

Discover the difference that Berkshire® Collection shingles can make. With a thickness, proportion and color selection reminiscent of natural slate, these shingles make a unique, elegant statement. And the *Berkshire* Collection proves it's as solid as it looks with a Limited Lifetime Warranty */** (for as long as you own your home), 110/130-MPH†† Wind Resistance Limited Warranty* and our Algae Resistance Limited Warranty*.

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† 130 MPH is applicable only with 6-nail application in accordance with installation instructions.



Berkshire® Sherwood Beiget ▲



Manchester Grey†



Canterbury Black†



Sherwood Beige†



Concord†



Colonial†



Product Attributes

Warranty Length*/**

Limited Lifetime

Wind Resistance Limited Warranty*

110/130 MPH††

Algae Resistance Limited Warranty*/‡

15 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

Berkshire® Shingles Product Specifications

Nominal Size	18 ³ / ₄ " x 38"
Nominal Weight	360 lbs.
Exposure	8 ³ / ₈ "
Shingles per Square	45
Bundles per Square	5 bundles of 9 shingles
Coverage per Square	99.5 sq. ft.

Berkshire® Hip & Ridge Product Specifications

Nominal Size	12" x 12"
Exposure	8"
Pieces per Carton	32
Lineal Feet per Carton	21.3

Applicable Standards and Codes

ASTM E 108, Class A Fire

ASTM D 3161, Class F Wind

ASTM D 7158, Class H Wind

ASTM D 3018, Type 1

ASTM D 3462


UL 790, Class A

ICC ESR 1372

CSA 123.5

Florida Building Code

Miami-Dade County Approved§



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† 130-MPH is applicable only with 6-nail application in accordance with installation instructions.

‡ Berkshire Hip & Ridge is required for 15-Year Algae Resistance Limited Warranty.

§ Applies for all areas that recognize Miami-Dade County Building Code.

WOODMOOR® & WOODCREST® COLLECTION SHINGLES

The natural, rustic appearance of these shingles evokes the look of wood shake. Woodmoor® & Woodcrest® shingles come with a Limited Lifetime Warranty*/** (for as long as you own your home), 110/130-MPH†† Wind Resistance Limited Warranty* and Algae Resistance Limited Warranty.*

Enduring beauty

Create the allure of wood shakes for years to come. Fire-safe and available in striking colors you can't get from real wood, *Woodmoor* & *Woodcrest* shingles take a classic look to new heights. See the difference at right.



Before



After

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty for commercial projects.

†† 130-MPH is applicable only with 6-nail application in accordance with installation instructions.



Woodmoor® Chestnut ▲



Carbont†



Granitet†



Mesquite†



Sycamore†



Timbert†



Chestnut†



Autumn Maple†



Junipert†



Product Attributes

Warranty Length^{*/**}

Limited Lifetime

Wind Resistance Limited Warranty*

110/130 MPH^{††}

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

Woodmoor® & Woodcrest® Collection Shingles Product Specifications

	Woodmoor®	Woodcrest®
Nominal Size	14 1/4" x 40"	14 1/4" x 40"
Nominal Weight	465 lbs.	350 lbs.
Exposure	4"	4"
Shingles per Bundle	15	15
Bundles per Square	6	6
Coverage per Square	100 sq. ft.	100 sq. ft.

WoodStart® Starter Shingles Product Specifications

Nominal Size	40" x 13 3/8"
Pieces per Bundle	16
Lineal Feet per Bundle	53.33

Applicable Standards and Codes

ASTM E 108, Class A Fire

ASTM D 3462

ASTM D 3161, Class F Wind


UL 790, Class A

ASTM D 7158, Class H Wind

ICC ESR 1372

ASTM D 3018, Type 1

CSA 123.5



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† 130-MPH is applicable only with 6-nail application in accordance with installation instructions.



THE SURENAIL® DIFFERENCE— A technological breakthrough in roofing.

The innovative features of Owens Corning™ TruDefinition® Duration® Shingles with patented SureNail® Technology offer the following:


Breakthrough Design. Featuring a tough, woven engineered reinforcing fabric to deliver consistent fastening during installation.

Triple Layer Protection.™ A unique “triple layer” of reinforcement occurs when the fabric overlays the common bond of the shingle laminate layers that offers excellent fastener holding power.

Superior Adhesion. Our enhanced Tru-Bond®** sealant grips tightly to the engineered fabric nailing strip on the shingle below.

Excellent Adhesive Power. Specially formulated, wide adhesive bands help keep shingle layers laminated together.

Exceptional Wind Resistance. The industry's first asphalt roofing shingle engineered to deliver 130-MPH* wind warranty performance with only 4 nails. 33% fewer nails are required for maximum warranty protection,¹ which can mean fewer deck penetrations.



* See actual warranty for complete details, limitations and requirements.

** Tru-Bond is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing & Asphalt, LLC.

†† This illustration depicts Triple Layer Protection and the amount of Triple Layer Protection may vary on a shingle-to-shingle basis.

¹ Where allowed by code.

SureNail Technology U.S. Patent 7,836,654 and other patents pending.





TruDefinition® Duration® Designer Colors Collection Shingles

with SureNail® Technology

Bright. Bold. Brilliant. The world is full of color. From the cars we drive to the appliances we buy, we have the power to choose the colors we surround ourselves with. If you're looking to make a truly vibrant impact, don't overlook the power of using color on the roof to help coordinate exterior accents like paint, trim and even landscaping. *TruDefinition Duration* Designer Colors Collection Shingles can bring it all together—helping to improve your structure's aesthetics and perceived value—with maximum vibrancy and colors you won't find anywhere else.

TruDefinition Duration Designer Colors Collection Shingles feature the high-performance durability of patented *SureNail* Technology with Triple Layer Protection™ and excellent adhesive power. Plus, they boast a Limited Lifetime Warranty* (** for as long as you own your home) and can stand up to 130-MPH* winds.

Whether you're looking to add more drama or a knockout new look, you'll be amazed at the difference that *TruDefinition Duration* Designer Colors Collection Shingles can make—they offer brilliant impact and curb appeal like you never imagined. And when exterior elements work in harmony, the look will be vibrant, cohesive and undeniably spectacular.

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.



After

Before



TruDefinition® Duration® Designer Colors Collection Summer Harvest ▲



Aged Copper†



Merlot†



Pacific Wave†



Sand Dune†



Summer Harvest†



Sedona Canyon†



Storm Cloud†



Product Attributes

Warranty Length*/**

Limited Lifetime

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years



Algae resistance available in areas shown in white.

Owens Corning™ Hip & Ridge Shingles

Hip & Ridge shingles are uniquely color matched to the *TruDefinition Duration* Designer Colors Collection Shingles. The multiple color blends are only available from Owens Corning™ Roofing and offer a finished look for the roof.



TruDefinition® Duration® Designer Colors Collection Shingles Product Specifications

Nominal Size	13¼" x 39⅝"
Exposure	5⅝"
Shingles per Square	64
Bundles per Square	4
Coverage per Square	98.4 sq. ft.

Applicable Standards and Codes

ASTM E 108, Class A Fire

ASTM D 3161, Class F Wind

ASTM D 7158, Class H Wind

ASTM D 3018, Type 1

ASTM D 3462


ASTM D 228

UL 790, Class A

CSA 123.5††

Florida Building Code

Miami-Dade County Approved‡



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† Applicable in Brookville, Denver, Kearny, Medina, Minneapolis and Portland Service Areas only.

‡ Applies for all areas that recognize Miami-Dade County Building Code.



TruDefinition® **DURATION® SHINGLES** with SureNail® Technology

Bold contrast. Deep dimension. TruDefinition.®

TruDefinition Duration Shingles are specially formulated to provide greater contrast and dimension to any roof.

Through the use of multiple granule colors and shadowing, *TruDefinition Duration Shingles* offer a truly unique and dramatic effect. This exclusive combination of color and depth is what makes *TruDefinition Duration Shingles* like no other.

TruDefinition Duration Shingles are available in popular colors with bold, lively contrast and complementing shadow lines for greater dimension. They feature a Limited Lifetime Warranty*/** (for as long as you own your home), 130-MPH Wind Resistance Limited Warranty* and an Algae Resistance Limited Warranty.* Beyond the outstanding curb appeal and impressive warranty coverage, they also come with the advanced performance of patented *SureNail Technology*.

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty for commercial projects.



TruDefinition® Duration® Brownwood† ▲



Desert Tan†



Brownwood†



Driftwood†




Onyx Black†



Estate Gray†



Quarry Gray†



Shasta White†



Harbor Bluett



Chateau Greent

REGIONAL COLORS AVAILABLE



Ambert
Not Available in Service Areas
2, 6, 13 (see map)



Teakt
Not Available in Service Area
3 (see map)



Antique Silvert
Not Available in Service Areas
1, 2, 4, 5, 6, 7, 8, 9, 10, 11,12,13,14



Sierra Gray
Not Available in Service Areas
2, 3, 6 (see map)



Slatestone Gray
Not Available in Service Areas
2, 3, 4, 5, 6, 7, 8, 9, 10, 11,12,13,14



Williamsburg Gray
Not Available in Service Areas
1, 3, 4, 5, 7, 8, 9, 10, 11,12,13,14



Colonial Slate
Not Available in Service Areas
2, 3, 6, 12,13,14 (see map)



Terra Cottat
Not Available in Service Area
13 (see map)



TruDefinition® Duration®
Estate Gray†

Product Attributes

Warranty Length* / **

Limited Lifetime

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years



Algae resistance available in areas shown in white.

Applicable Standards and Codes

ASTM E 108, Class A Fire

ASTM D 3161, Class F Wind

ASTM D 7158, Class H Wind

ASTM D 3018, Type 1

ASTM D 3462

ASTM D 228

UL 790, Class A

Florida Building Code

Miami-Dade County Approved††

CSA 123.5‡

TruDefinition® Duration® Shingles Product Specifications


Nominal Size 13 1/4" x 39 3/8"

Exposure 5 5/8"

Shingles per Square 64

Bundles per Square 3

Coverage per Square 98.4 sq. ft.



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† Applies for all areas that recognize Miami-Dade County Building Code.

‡ Applicable in Brookville, Denver, Kearny, Medina, Minneapolis and Portland Service Areas only.



TruDefinition® DURATION STORM™

Impact-Resistant Shingles with WeatherGuard® Technology

Beauty that's designed to weather the storm.

TruDefinition® Duration STORM™ Impact-Resistant Shingles with WeatherGuard® Technology are the ideal premium shingle choice for homeowners concerned with the effect of severe weather on their roof.

Unlike standard shingles, *TruDefinition Duration STORM* features patented *WeatherGuard* Technology.

- Integrated polymeric backing material allows the shingles to meet one of the industry's highest ratings for impact resistance, UL 2218, Class 4
- May allow homeowners to qualify for insurance premium discounts¹

TruDefinition Duration STORM Shingles also utilize SureNail® Technology that provides Triple Layer Protection™ in the nailing zone and excellent adhesive power. This shingle and corresponding ProEdge STORM™ Impact-Resistant Hip & Ridge Shingles² are designed for maximum holding power against the high winds of severe storms—up to 130 MPH.*/##

***TruDefinition Duration STORM* Shingles are specially formulated to provide greater contrast and dimension to any roof.**

They offer beauty and performance that homeowners will enjoy before, during and after the storm.

- Multiple granule colors and shadowing offer a truly unique and dramatic effect
- Available in popular colors with bold, lively contrast and complementing shadow lines for greater dimension
- Limited Lifetime Warranty*/# for as long as you own your home
- 130-MPH Wind Resistance Limited Warranty*/##
- Algae Resistance Limited Warranty*

* See actual warranty for complete details, limitations and requirements.

40-Year Limited Warranty on commercial projects.

To maintain the 130-MPH Wind Resistance Limited Warranty, each *ProEdge STORM* Hip & Ridge shingle must be hand-sealed. Failure to hand seal will reduce wind warranty to 110 MPH for the *ProEdge STORM* Hip & Ridge shingle. Refer to the installation instructions for complete details.

1 Homeowners should check with their insurance company to see if they qualify.

2 *ProEdge STORM* Hip & Ridge Shingles are required to complete UL 2218 Class IV Impact-Resistant Roof System.

SureNail Technology U.S. Patent 7,836,654 and other patents pending.

WeatherGuard Technology U.S. Patent 6,228,785.



TruDefinition® Duration STORM™ Estate Gray† ▲



Desert Tan†



Brownwood†



Teak†



Driftwood†



Onyx Black†



Estate Gray†



Product Attributes

Warranty Length* /**

Limited Lifetime

Wind Resistance Limited Warranty*

130 MPH††

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

TruDefinition® Duration STORM™ Shingles Product Specifications

Nominal Size	13 1/4" x 39 5/8"
Exposure	5 5/8"
Shingles per Square	64
Bundles per Square	3
Coverage per Square	98.4 sq. ft.

ProEdge STORM™ Hip & Ridge Shingles Product Specifications

Nominal Size	12" x 36"
Piece Size	12" x 12"
Exposure	6"
Shingles per Bundle	22
Pieces per Shingle/Bundle	3/66
Lineal Coverage per Bundle	33 ft.

Applicable Standards and Codes

UL 2218, Class 4 Impact

ASTM D 3462

ASTM E 108, Class A Fire


ASTM D 3161, Class F Wind

ASTM D 3018, Type 1

ASTM D 228

UL 790, Class A Fire

ASTM D 7158, Class H Wind³



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† To maintain the 130-MPH Wind Resistance Limited Warranty, each ProEdge STORM Hip & Ridge Shingle must be hand-sealed. Failure to hand seal will reduce wind warranty to 110 MPH for the ProEdge STORM Hip & Ridge Shingles. Refer to the installation instructions for complete details.

¹ Homeowners should check with their insurance company to see if they qualify.

³ Not applicable for ProEdge STORM Hip & Ridge Shingles.



DURATION[®] PREMIUM COOL SHINGLES

with SureNail[®] Technology

Duration Premium Cool shingles help keep roofs cool, resulting in less energy consumption. Solar-reflecting granules extend roof life. They are ENERGY STAR[®] rated and are also rated by the Cool Roof Rating Council (CRRC). Limited Lifetime Warranty^{*}/^{**} (for as long as you own your home) and a 130-MPH Wind Resistance Limited Warranty^{*} are included.

ENERGY STAR[®] IS FOR ROOFS TOO.



Similar to the energy-efficient appliances in your home, roofing products can provide energy-saving qualities. Owens Corning[™] ENERGY STAR[®] rated shingles can help reduce your energy bills when installed properly. These shingles reflect solar energy, decreasing the amount of heat transferred to a home's interior—and the amount of air conditioning needed to keep it comfortable. Actual savings will vary based on geographic location and individual building characteristics. Call 1-800-GET-PINK[®] or 1-888-STAR-YES for more information.

^{*} See actual warranty for complete details, limitations and requirements.

^{**} 40-Year Limited Warranty on commercial projects.



Duration® Premium Cool Sunriset ▲





Frosted Oak†




Harbor Fog†



Sage†



Sunrise†



Duration Premium Cool shingles feature solar-reflecting granules that help keep roofs up to 10°F cooler†† for a more comfortable living space below.



Product Attributes

Warranty Length* /**

Limited Lifetime

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

UL Fire Rating

Class A

Duration® Premium Cool Shingles Product Specifications

Nominal Size	13 1/4" x 39 3/8"
Exposure	5 5/8"
Shingles per Square	64
Bundles per Square	4
Coverage per Square	98.4 sq. ft.

Applicable Standards and Codes

ASTM E 108, Class A Fire

ASTM D 3161, Class F Wind


ASTM D 7158, Class H Wind

ASTM D 3018, Type 1

ASTM D 3462

ASTM D 228

UL 790, Class A



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† Estimated roof surface temperature reduction based on 1998 NIST study, *Analytical Study of Residential Buildings with Reflective Roofs*. A temperature reduction is representative of a change from a typical roof to a Cool Roof (solar reflectance 10 to 25) in most climates.

WEATHERGUARD® HP SHINGLES


WeatherGuard® HP shingles deliver the ultimate in extreme weather protection without compromising aesthetics. These shingles meet one of the highest standards for impact resistance—UL 2218, Class 4††—and may qualify homeowners for a premium discount from many insurance companies‡. They feature a Limited Lifetime Warranty*/** (for as long as you own your home) and 130-MPH Wind Resistance Limited Warranty* when installed with *WeatherGuard* HP Hip & Ridge shingles. And they also come with a 10-Year Algae Resistance Limited Warranty.*

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† *WeatherGuard* HP Hip & Ridge is required to complete UL 2218 Class 4 impact-resistant roof system.

‡ Homeowners should check with their insurance company to see if they qualify.



WeatherGuard® HP Estate Gray† ▲



Desert Tan†



Driftwood†



Brownwood†



Antique Silver†



Estate Gray†



Onyx Black†



Product Attributes

Warranty Length*/**	
Limited Lifetime	
Wind Resistance Limited Warranty*	
130 MPH††	
Algae Resistance Limited Warranty*	
10 Years	
Tru PROtection® Non-Prorated Limited Warranty*	
10 Years	

WeatherGuard® HP Shingles Product Specifications

Nominal Size	13¼" x 39⅞"
Exposure	5⅞"
Shingles per Square	64
Bundles per Square	3
Coverage per Square	98.4 sq. ft.

WeatherGuard® HP Perforated Hip & Ridge Product Specifications



Nominal Size	12" x 36"
Piece Size	12" x 12"
Exposure	5"
Shingles per Bundle	26
Pieces per Shingle/Bundle	3/78
Lineal Feet per Carton	32.5 ft.

Applicable Standards and Codes

UL 2218, Class 4	ASTM D 3018, Type 1
ASTM D 3462	ASTM D 228
ASTM E 108, Class A	UL 790, Class A
ASTM D 3161, Class F Wind	ASTM D 7158, Class H Wind
	Miami-Dade County Approved‡



* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† To maintain the 130-MPH Wind Resistance Limited Warranty, each Hip & Ridge shingle must be hand-sealed. Failure to hand seal will reduce wind warranty to 110 MPH for the Hip & Ridge shingle. Refer to the installation instructions for complete details.

‡ Applies for all areas that recognize Miami-Dade County Building Code.



OAKRIDGE® SHINGLES

A step up from the traditional three-tab shingles, Oakridge® shingles come in a variety of popular colors to create a warm, inviting look. They come with both a Limited Lifetime Warranty* (** for as long as you own your home) with 110/130-MPH†† Wind Resistance Limited Warranty* and an Algae Resistance Limited Warranty* available on a regional basis.

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† 130-MPH is applicable only with 6-nail application in accordance with installation instructions.



Oakridge® Driftwood† ▲

NATIONAL COLORS




Desert Tan†



Brownwood†



Driftwood†



Onyx Black†



Estate Gray†



Shasta White†

REGIONAL COLORS—see map



Amber†

Not Available in Service Areas
1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13



Beachwood Sand†

Not Available in Service Areas
1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14



Teak†

Not Available in Service Areas
1, 3



Antique Silver†

Not Available in Service Areas
1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14




Sierra Gray†

Not Available in Service Areas
2, 3, 6, 8, 11



Williamsburg Gray†

Not Available in Service Areas
1, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14



Chateau Green†

Not Available in Service Areas
1, 3, 12, 13, 14



Product Attributes

Warranty Length*/**

Limited Lifetime

Wind Resistance Limited Warranty*

110/130 MPH††

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

Oakridge® Shingles Product Specifications


Nominal Size 13 1/4" x 39 3/8"

Exposure 5 5/8"

Shingles per Square 64

Bundles per Square 3

Coverage per Square 98.4 sq. ft.



Applicable Standards and Codes

ASTM E 108, Class A Fire

ASTM D 3462

ASTM D 3161, Class F Wind

ASTM D 228

ASTM D 7158, Class H Wind

UL 790, Class A

ASTM D 3018, Type 1

CSA 123.5

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

†† 130-MPH is applicable only with 6-nail application and Owens Corning™

Starter Shingle products application along eaves and rakes in accordance with installation instructions.




SUPREME® SHINGLES


Three-tab shingles offer a solid value with curb appeal and lasting durability. Constructed of durable weathering-grade asphalt and tough Fiberglas® mat core, Supreme® shingles come with a 25-Year Limited Warranty,* a 60-MPH Wind Resistance Limited Warranty* and an Algae Resistance Limited Warranty* available on a regional basis.




Desert Tan†




Autumn Brown†



Brownwood†



Driftwood†




Onyx Black†



Estate Gray†



Aspen Gray†



Shasta White†

For more color selection, visit www.roofing.owenscorning.com



* See actual warranty for complete details, limitations and requirements.




Supreme® Desert Tan† ▲



THE ESSENTIALS FOR A COMPLETE ROOFING SYSTEM.

It takes more than just shingles to create a high-performance roof. It requires a system of quality products working together. Owens Corning™ Roofing Essentials® Accessory Products work with our shingles to make up a roofing system that's right the first time around, and help provide maximum durability and the most protection for your home.

- a** **VentSure® Ventilation Products.**  Help protect a roof from premature failure by helping remove heat and moisture from the attic.
- b** **PINK® Fiberglas™ Blown-In Insulation.** Tiny air pockets trapped in the insulation resist the passage of heat flow.
- c** **Owens Corning™ Hip & Ridge Shingles.** Help protect the ridge vent and add an attractive, finished look to a roof's hips and ridges.
- d** **Owens Corning™ Shingles.** Add durable beauty to a home. Shingles are the first line of defense against the elements.

- e** **Owens Corning™ Underlayment Products.** Add an extra layer of protection between the shingles and the roof deck to help prevent damage from wind-driven rain.
- f** **WeatherLock® Self-Sealing Ice & Water Barrier Products.** Help guard vulnerable areas where water can do the most damage to a roof: eaves, valleys, dormers and skylights.
- g** **Owens Corning™ Starter Shingle Products.** The first step in the proper installation of shingles.
- h** **Owens Corning™ Undereave Ventilation Products.** Help prevent moisture buildup in the attic by working with ridge vents to keep air moving.
- i** **Owens Corning™ Illuminator™ Tube Skylight.** A smart choice for bringing natural light into the home.



i

c

d

a

e

f

g

b

h



WEATHERLOCK® SELF-SEALING ICE & WATER BARRIER PRODUCTS

Resist roof deck damage

Ideal for eaves, rakes, flashings and more. Modified asphalt creates dependable, watertight construction and allows for proper water flow, preventing ice dams and ultimately protecting the home's interior.

A variety of products are available, specifically designed for a variety of applications.

WeatherLock® Flex—Flexible and pliable poly surface and rubberized asphalt combine to adhere around irregular shapes, inside corners and at sharp angles

WeatherLock® Mat—Patented mat-faced surface is slip-resistant, non-scuff and lightweight

WeatherLock® G—Granulated surface with superior tear resistance

WeatherLock® Cold Climate—Dual-layer granulated composition designed for cold weather adhesion and flexibility

WeatherLock® Specialty Tile & Metal—High-temperature waterproofing barrier approved for use under all metal roof systems, including copper and zinc



UNDERLAYMENT PRODUCTS

Prevent damage from wind-driven rain

Deck Defense® High Performance Roof Underlayment

Durable synthetic construction provides an immediate defense layer so strong it can protect your roof for up to 6 months* of exposure plus act as a secondary water-shedding barrier for long-term moisture protection.


- Offers long-term moisture protection compared to standard felt underlayment
- Reduces water intrusion when exposed, helping prevent premature roof failure
- Performs under extreme weather and stays intact in high winds*



Fiberglas™ Reinforced Felt Underlayment

Provides a necessary layer of protection between shingles and the roof deck to help prevent moisture damage. Unlike standard felt, *Fiberglas* Reinforced Felt:

- Lays flat to support flatter, more uniform shingle applications
- Resists tearing away from the fasteners when exposed to moisture and wind
- Will not tear away from fasteners when walked on or in strong wind
- Helps prevent water infiltration under shingles from wind-driven rain and other sources



* Special application required for extended exposure. See installation instructions.




HIP & RIDGE SHINGLE PRODUCTS

Available in a wide range of colors

DecoRidge® Hip & Ridge Shingles

Offering curb appeal without sacrificing protection, DecoRidge® Hip & Ridge shingles have the thickest profile available, providing more depth and dimension

- Multi-layered, thick bull-nosed design offers a refined look
- Pre-formed design eliminates the need for folding or bending
- Available in Service Areas 12, 13, 14 (see map)



High Ridge Hip & Ridge Shingles

Unique layered construction adds dimension, style and protection to a roof's hips and ridges, and is available in a wide range of popular colors

- Laminated design provides extra character to even the most sophisticated roofs
- Easy-to-fold construction for efficient application
- Warranty offering is concurrent with the Owens Corning™ shingle installed
- Compatible with all Owens Corning™ roofing shingles
- Available in Algae Resistance on a regional basis
- Available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 (see map)

* See actual warranty for complete details, limitations and requirements.



RIZERidge® Hip & Ridge Shingles

Designed for a more uniform ridgeline to achieve a polished, more finished look

- Feature self-sealing *Tru-Bond* sealant to provide greater wind resistance compared to cut-tab shingles
- Eliminate the need for cutting, allowing for quicker installation and a uniform look
- Specially formulated to resist staining and will not promote algae or fungus growth
- Warranty offering is concurrent with the Owens Corning™ shingle installed
- Available in Service Areas 8, 10, 11 (see map)

ProEdge™ Hip & Ridge Shingles

Achieve a clean, consistent, finished look with a product designed for the job and the contractor.

- Designed with manufactured perforations and a larger exposure, ProEdge™ Hip & Ridge shingles are easy to install.
- Shingles are self-sealing providing excellent protection for vulnerable ridge lines.
- Warranty offering is concurrent with the Owens Corning™ Shingle installed.
- Available in Service Areas 1, 4, 5, 7, 9, 12 (see map)



VENTSURE® VENTILATION PRODUCTS

Help prevent structural damage

VentSure® Rigid Roll Ridge Vents

Help keep the attic cool and dry, allowing the natural flow of outside air to go up and out to prevent moisture damage and premature roof failure. VentSure® Ridge Vents, along with undereave vents, help achieve home energy efficiency.



- Patented, durable corrugated plastic construction
- Long-lasting 50-Year Limited Warranty*
- Adjust to almost any roof pitch

Roof Vents

VentSure Roof Vent products offer another ventilation option and are available in multiple styles and colors.



VentSure® Rigid Strip Ridge Vents

Unique flat baffle design and Weather PROtector® moisture barrier help improve airflow by keeping leaves and other debris from hindering vent performance.

- Industry-leading net free vent area** of 20 sq. in. per lineal foot
- Patent-pending corrugated ridge design and interlocking feature allow for a stronger, more uniform ridgeline
- Proper ventilation helps maximize the performance of the entire roof system
- Nails included



* See actual warranty for complete details, limitations and requirements.

** Net free vent area = area of vents that is open to unrestricted airflow. As a general rule, 1 sq. ft. of net free vent area per 300 sq. ft. of attic space or area to be vented is recommended.



STARTER SHINGLE PRODUCTS

Seal vulnerable areas

Starter Shingle products eliminate the need for cutting or inverting shingles to create a starter row. They also create a tight seal in the roof's most vulnerable areas for blow-offs, improving performance.

Starter Roll

- Comes in handy individual rolls
- Measures 7.2 in. x 33 ft. 4 in.
- Easy peel-and-stick application
- Compatible with all Owens Corning™ roofing shingles



Starter Strip and Starter Strip Plus

- Speed installation
- Perforation allows for easy separation
- Place sealant along roof edge for better wind performance
- Save labor and improve job quality



ILLUMINATOR™ TUBE SKYLIGHT

A smart choice for bringing natural light into the home.

- Evenly distributes up to 500 watts* of clean, natural light helping to reduce reliance on electricity
- Seamless one-piece flashing is easy to install, offering an excellent alternative to traditional skylights.
- Designed to prevent leaking and backed by a Limited Lifetime Warranty** offering the homeowner coverage against manufacturing defects for as long as they own their home.
- Models available for nearly all types of roofing materials including tile and metal and for applications in severe weather zones such as HVHZ.

* Maximum light output and light coverage are based upon light output and coverage during mid-day sun and using 48" tubing. The 10" kits produce up to 300 watts of light output covering an area up to 150 sq. ft. The 14" kits produce up to 500 watts of light output covering an area up to 300 sq. ft.

** See actual warranty for complete details, limitations and requirements.

For more information on Owens Corning™ roofing products, or any of our wide range of building products and systems, it's easy to reach us:
1-800-GET-PINK® | www.roofing.owenscorning.com



INNOVATIONS FOR LIVING®

OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK®
www.roofing.owenscorning.com

Pub. No. 10015589. Printed in U.S.A. June 2012. THE PINK PANTHER™ & © 1964–2012 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. ©2012 Owens Corning. All Rights Reserved.



Cultured Stone® is a registered trademark of Boral Stone Products LLC.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

SureNail Technology U.S. Patent 7,836,654 and other patents pending.